

Back Pain



Hope Building
Emergency Medicine
0161 206 4841



Health & care
information
you can trust

The Information Standard

✓ Certified Member

Back Pain

Back problems are very common. Most back problems start for no obvious reason, which can be very frustrating.

Your back problem may cause aching, hot, burning, shooting, or stabbing pains in your back and sometimes into one or both of your legs. You may also get pins and needles.

The spine is strong and back problems are rarely due to any serious disease or damage. Back problems should settle within 6 weeks of following the advice provided here.

You will not normally need an x-ray or an MRI scan.



What should I do?

- Keep moving, even if slowly at first
- Keep living and working normally. This is important and is the best way to get better
- Don't worry if your back still hurts at work, consider doing light tasks at first, speak to your manager about work concerns that you may have
- Don't sit down for too long, change positions regularly wherever you are
- Avoid bed rest during the day
- Stay active and remember to re-introduce activities like heavy lifting gradually
- Exercise really helps your back and can relieve pain, start with light fitness training. Moving will make you stronger, keeping active is the best thing you can do.

What about pain relief?

- Initially it may be helpful to use a covered icepack to ease your pain - never apply ice directly onto your skin. Alternatively heat can be soothing, so a covered hot water bottle may also be used. You should not use heat /ice for more than 15 minutes, three to four times a day
- Painkillers may help you keep moving, so sensible use of painkillers such as paracetamol, and ibuprofen will help, not harm your back. However, if you are already taking medication for something else or have other health problems, check with your local pharmacist before taking painkillers. Always follow the instructions on the packet.
- Occasionally, stronger pain-killers such as codeine may be recommended. If you are taking these, you should drink plenty of fluids and eat foods high in fibre (such as fruit and vegetables) to avoid constipation.
- Diazepam or similar drugs are occasionally prescribed for 1-2 days to relax the muscles of the lower back.

What about work, sports?

You will recover faster if you can stay at or get back to work as early as possible. Don't worry if your back still hurts; consider doing light tasks at first if this helps you get back to work easier and quicker.

Try to stay active and remember to keep moving. Speak to your manager at work about any concerns you may have.

You should try to do your normal activities as much as possible and use painkillers as needed. With regard to sports, start with light fitness training, and play when you feel ready.

Can my back problem cause trouble anywhere else?

Sometimes when you get back pain you can also get pain in one or both legs (sciatica). This can cause pins and needles or a shooting, stabbing pain to the legs. This can be very painful but this is common when you have back pain.

Do I need to see a doctor or a therapist?

Not usually - if you follow the right advice and take the right medication, your back problem should improve over the next 6 weeks. If your back symptoms are still interfering with your ability to do normal things after 6 weeks, this is the time to seek further professional advice from either your GP or NHS Physiotherapist.

What should I look out for?

You should return to your local Emergency Department as soon as possible if you develop any of these:

- Difficulty passing or controlling urine
- Numbness and/or altered sensation such as pins and needles around your back passage or genitals, e.g. when wiping after toileting.

If you experience any of the following in conjunction with your back pain, you need to speak to your doctor as soon as possible:

- Generally feeling unwell
- Back pain that starts when you have other problems, such as rheumatoid arthritis or cancer


- Numbness, pins and needles, or weakness in one or both legs that has not improved after one week
- Unsteadiness when you walk
- Your back problem has not improved within six weeks.

Facts and figures

- 90% of the UK population get back pain at some point
- Most back pain settles within six weeks
- Keeping active is the best thing to help your back pain

Further information

North of England Regional Back Pain Programme

 <http://www.noebackpainprogramme.nhs.uk/>

NHS Inform

 <http://m.nhsinform.co.uk/health-library/articles/b/back-pain/introduction>

The truth about back pain - AXA PPP

 www.youtube.com/watch?v=b-cBtPSf0Hc

NHS24 MSK Help

Useful exercises and advice - App for iPhone, Android

© G18061104W. Design Services
Salford Royal NHS Foundation Trust
All Rights Reserved 2018
This document **MUST NOT** be photocopied

Information Leaflet Control Policy:

Unique Identifier: MED26(18)
Review Date: July 2020

Salford Royal **NHS**
NHS Foundation Trust

University Teaching Trust

safe • clean • personal

For further information on this leaflet, it's references and sources used, please contact **0161 206 4841**.

Copies of this leaflet are available in other formats (for example, large print or easyread) upon request. Alternative formats may also be available via www.srft.nhs.uk/for-patients/patient-leaflets/

In accordance with the Equality Act we will make reasonable adjustments to enable individuals with disabilities to access this service. Please contact the service/clinic you are attending by phone or email prior to your appointment to discuss your requirements.

Interpreters are available for both verbal and non-verbal (e.g. British Sign Language) languages, on request. Please contact the service/clinic you are visiting to request this.

If you need this information leaflet translated, please telephone:

Polish Jeżeli potrzebne jest Państwu tłumaczenie, proszę zadzwonić pod numer.

Urdu اگر آپ کو اس ترجمانی کی ضرورت ہے تو مہربانی کر کے فون کریں۔

Arabic إذا كنتم بحاجة الى تفسير او ترجمة هذا الرجاء الاتصال

Chinese 如果需要翻译，请拨打电话

Farsi اگر بہ ترجمہ این نیاز دارید ، لطفاً تلفن کنید

0161 206 0224

or Email: InterpretationandTrans@srft.nhs.uk

Salford Royal operates a smoke-free policy.

For advice on stopping smoking contact the Hospital Specialist Stop Smoking Service on 0161 206 1779

This is a teaching hospital which plays an important role in the training of future doctors. The part patients play in this process is essential to make sure that we produce the right quality doctors for all of our futures. If at any time you would prefer not to have students present please inform the doctor or nurses and this will not affect your care in anyway.

Salford Royal NHS
Foundation Trust
Stott Lane, Salford,
Manchester, M6 8HD

Telephone
0161 789 7373
www.srft.nhs.uk

If you would like
to become a
Foundation Trust
Member please visit:

[www.srft.nhs.uk/
for-members](http://www.srft.nhs.uk/for-members)

If you have any
suggestions as to how
this document could be
improved in the future
then please visit:

[http://www.srft.nhs.
uk/for-patients](http://www.srft.nhs.uk/for-patients)